



Individual Briefing Acknowledgement Form

Form	QM-F-02
Author	F Stanciu
Issue Status	01
Date	08 02 2021

Target Audience: All staff, Fitters, Operators, and Drivers etc

Site staff

Internal info	Toolbox Talk	Training	External info	Update
		✓		

Tick appropriate box (s) ✓

Details of Information shared / discussed:

Issue of:

- New JSP P3 ('daily self-face fitting mask')

Training on:

1. cleaning
2. storing
3. daily face fit testing of the mask
4. correct usage

By signing below, I acknowledge that I understand and shall comply with the Briefing

DATE	NAME	JOB	SIGNATURE
20/01/22	HEDGES	OP	<i>F Hedges</i>

Feedback	
-----------------	--

Once signed and completed, please email this back to florin.stanciu@readypower.co.uk for Readypower Rail Services Ltd staff

Or rebeccaturner@terrawise.co.uk or Richard.burnham@terrawise.co.uk for Readypower-Terrawise Ltd staff

Toolbox Talk – Sept/Oct 2021

JSP P3 daily face fit test mask

READYPOWER
GROUP

You have been issued with a new JSP daily face fit testing mask to protect you from hazardous dusts and particles when at work. Here is a link to the training video you were shown when you were issued your mask
https://www.jspsafety.com/products/PPE/Respiratory-Protection/Half-Mask-Respirators/BHT0A30I5N00_Force8-Half-Mask-with-PressToCheck-P3-Filters



Force®8 Half-mask with PressToCheck™ P3 R D Filters

Your mask is made with a durable thermoplastic rubber offering a superior fit to most face shapes. The mask accepts the full range of low profile Force®8 filters giving the flexibility to be used for many applications, providing filtering protection against particulates, many gases and vapours.

Comfort - Durable thermoplastic rubber mask for superior fit to most face shapes.

Harness - Fully adjustable 4-point cradle suspension ensuring an effective facial fit.

CR2 Reflectivity - Reflective strips create increased visibility in low-light environments for added safety.

Typhoon™ Exhalation Valve - Low resistance exhalation valve for easy breathing, with stable mask configuration.

Force® Filters – Having a low profile angle for minimum visual impairment.

“PressToCheck™ A daily face fit test you can do yourself

P3 R D Filters - With the new patent pending Force®8 PressToCheck™ filters you can instantly check that you have the correct seal every time.

FIT IT!

Don the Mask - Put the straps and harness over your head and pull the straps to a suitably tight and comfortable fit

PRESS IT!

PressToCheck™ - Press the front and backs of both filter covers together to stop air from entering through the filters

CHECK IT!

Inhale - No air should come through the mask. Adjust the mask and repeat until it doesn't. Release when seal is made

Author

Florin Stanciu, SHE Advisor

Approved by:

Darren Matthews

Toolbox Talk – Sept/Oct 2021


JSP P3 daily face fit test mask


READYPOWER

GROUP

Please answer the following questions:

1. Did you fully understand how to test your mask is sealing properly?	Yes
2. Will you make sure you clean your face mask regularly before and after use?	Yes
3. Will you keep your mask sealed as per photo above and stored properly so it does not get damaged?	Yes
4. Your training showed how to change the filters. Are you comfortable in doing that task when your filters get full?	Yes
Comments	Very simple to use

TBT received and understood:	Print Name	Signature	Primary sponsor	Date
	J HEDGES		Readypower	20/09/22

TBT delivered by:	Print Name	Signature	Date
	R BORNHAM		20/09/22

Author	Florin Stanciu, SHE Advisor	Approved by:	Darren Matthews
--------	-----------------------------	--------------	-----------------